



Mountain founded in 2011, focuses on intelligent mobile energy storage products.

The company has more than ten years of experience in lithium ion battery application, has the full chain service ability from product development to production and sales.

Mountain is committed to providing clean, safe and convenient mobile energy storage products, to meet off-grid emergency, outdoor electricity needs.





POWERLIBRA 800

- 800Wh High Capacity, Long Endurance
- Power up to 10 Devices Simultaneously
- High Quality Li-ion Cells Inside
- Waterproof, spill-resistant
- 12V/10A Carport Output







POWERLIBRA 800















Applications:





Automotive-use Power Li-ion Batteries

High quality, low heat, high discharge efficiency, long cycle life.

Battery Management System

Regulates all the lithium-ion batteries in POWERLIBRA, and monitor its health individually using Al algorithms



Temperature Protection



Overcharging & Overdischarging Protection




Overcurrent Protection











AC Output



Multiple Protection



Wireless Fast Charging



PD Two-way Fast Charging



Intelligent Multi-port Output



Capacity

Application Scenarios

Display



Family Emergency




Outdoor **Operations**



Offshore **Angling**



Picnic and Camping



MODEL		POWERLIBRA 800
BASIC	Dimension	265*255*170 mm
INFORMATION	Weight	7.5Kg
	Operating Temperature	Charge:0~45°C
		Discharge:-20~60°C
	Long Duration Storage	-20~+20°C, <70%RH (Within one year)
PARAMETERS	Battery Type	18650 Li-ion Cell
	Capacity	800Wh, 220800mAh@3.6V
	Lifecycles	≥500 cycles
	Shelf-life	1 year (afterfully charged)
INPUTS	DC (8mm)(X2)	10~20V, Max100W total power input
(CHARGE)	Type-C(X2)	Max20V,60W per port
	Solar Panel (Optional Accessory)	100W (Ideal weather)
OUTPUTS	AC (X2)	100V,60Hz,pure sine wave, total power output 1000W, surge 2000W
	USB-A (X2)	DC 5V/2.4A, 12W per port
	USB-A QC3.0 (X2)	DC 5V-6.5V/3A;6.5V-9V/2A;9V-12V/1.5A;Max 28W per port
	Type-C (X2)	DC 5V/3A;9V/3A;12V/3A;15V/3A;20V/3A;Max 60W per port
	Carport Output	12V/10A, Max120W
	Wireless Output	QI Standard, Max 10W
OTHER	Certification	PSE;FCC;ROHS;CE;UL;UN38.3 (Depends on the requirements of each sales area)

**As the products are constantly upgraded, the above parameters are for reference only. The detail parameters in products are subject to the corresponding user manual.





POWERLIBRA 800



AC Adaptor



Car Charger Cable



User Manual